






THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	8/4/10	D.GRIFFIN
B	ECN 5046: ADDED PANEL MOUNT AND MAX PANEL NOTES	9/23/10	D.FRISIELLO
C	ECN 5246: ADDED NOTE: 3 POSITION TERM BLOCK ACCEPTS 16-30AWG WIRE	1/7/11	D. CASTRO



PANEL MOUNT CUTOUT



**NOTES:**

**MATERIAL:**

JACK:  
HOUSING: THERMOPLASTIC  
THREADED BUSHING AND DRESS NUT: BRASS  
CONTACTS: COPPER ALLOY

**TERMINAL BLOCK:**

HOUSING: THERMOPLASTIC  
TERMINALS AND CAGE CLAMP: COPPER ALLOY  
SCREWS: STEEL

PCB: FR4

**FINISH:**

JACK:  
THREADED BUSHING: TIN PLATE  
DRESS NUT: ZINC PLATE  
CONTACTS: TIN PLATE

**TERMINAL BLOCK:**

TERMINALS: TIN OVER NICKEL PLATE  
CAGE CLAMP: NICKEL PLATE  
SCREWS: ZINC PLATE

**MISCELLANEOUS:**

3 POSITION TERMINAL BLOCK ACCEPTS 16-30AWG WIRE.  
ASSEMBLY TO BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPEC. PS-0031.  
PANEL MOUNT DIAMETER:  $.246 \phi$   
PANEL THICKNESS:  $.06$  MAX.

**RoHS Compliant** ✓

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: $\leq 12$ [305] = +1 [25] / -0 $>12$ [305] $\leq 60$ [1524] = +2 [51] / -0 $>60$ [1524] $\leq 120$ [3048] = +4 [102] / -0 $>120$ [3048] $\leq 300$ [7620] = +6 [152] / -0 $>300$ [7620] = +3% / -0%	APPROVALS	DATE	<b>L-com</b> Global Connectivity 45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY D. CASTRO	8/3/10	
ALL OTHER DIMENSIONAL TOLERANCES: .X = $\pm .2$ .XX = $\pm .02$ .XXX = $\pm .005$	CHECKED BY D. PARHAM	8/3/10	CATEGORY AUDIO
	APPROVED BY P. MCNEIL	8/3/10	PRODUCT DESCRIPTION 3.5MM FIELD TERM, SINGLE PORT F
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>
			FSCM NO. <b>43321</b>
			DWG. NO. 35MMFT
			REV. <b>C</b>
			SCALE: NONE
			CAD FILE: 35MMFT.SLDDRW
			SHEET 1 OF 1